



# Certificate of Compliance

**Certificate:** 1017730 (112340)

**Master Contract:** 189109

**Project:** 2401728

**Date Issued:** March 2, 2011

**Issued to:** Copreci de Mexico S.A. de C.V.

Calle 1 NR. 736  
Zona Industrial  
Mpio Guadalajara  
Guadalajara, Jalisco 44940  
Mexico  
Attention: Maria Luz Parkinson

*The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US or with adjacent indicator 'US' for US only or without either indicator for Canada only.*



*James Sekerak*

**Issued by:** James Sekerak

## **PRODUCTS**

**CLASS 3371 88** - VALVES (GAS) - General Use-Certified to U.S. Standards

**CLASS 3371 08** - VALVES (GAS) - General Use

**CLASS 3371 08 VALVES (GAS) – General Use**

### **For Use with Natural and Propane Gases**

#### **Trade Name: COPRECI**

CAM 49010, Rated Pressure: 1/2psi, Inlet Sizes: Bolt-On, Saddle Mount, Barbed, 1/16 NPT(M), 1/8 NPT(M), 1/4 NPT(M), 3/8 NPT(M), 1/2 NPT(M), 3/4 NPT(M)

CAM 49017, Rated Pressure: 1/2psi, Inlet Sizes: Bolt Bolt-On, Saddle Mount, Barbed, 1/16 NPT(M), 1/8 NPT(M), 1/4 NPT(M), 3/8 NPT(M), 1/2 NPT(M), 3/4 NPT(M)

CAM 49020, Rated Pressure: 1/2psi, Inlet Sizes: Bolt-On, Saddle Mount, Barbed, 1/16 NPT(M), 1/8 NPT(M), 1/4 NPT(M), 3/8 NPT(M), 1/2 NPT(M), 3/4 NPT(M)

CAM 49040, Rated Pressure: 1/2psi, Inlet Sizes: Bolt-On, Saddle Mount, Barbed, 1/16 NPT(M), 1/8 NPT(M), 1/4 NPT(M), 3/8 NPT(M), 1/2 NPT(M), 3/4 NPT(M)



**Certificate:** 1017730 (112340)

**Master Contract:** 189109

**Project:** 2401728

**Date Issued:** March 2, 2011

---

CAM 49050, Rated Pressure: 1/2psi, Inlet Sizes: Bolt-On, Saddle Mount, Barbed, 1/16 NPT(M), 1/8 NPT(M), 1/4 NPT(M), 3/8 NPT(M), 1/2 NPT(M), 3/4 NPT(M)

CAM 49070, Rated Pressure: 1/2psi, Inlet Sizes: Bolt-On, Saddle Mount, Barbed, 1/16 NPT(M), 1/8 NPT(M), 1/4 NPT(M), 3/8 NPT(M), 1/2 NPT(M), 3/4 NPT(M)

CAM 49080, Rated Pressure: 1/2psi, Inlet Sizes: Bolt-On, Saddle Mount, Barbed, 1/16 NPT(M), 1/8 NPT(M), 1/4 NPT(M), 3/8 NPT(M), 1/2 NPT(M), 3/4 NPT(M)

The (XXX) following the model number CAM 49 denote customer variations and does not affect the certified base model configurations.

### **CLASS 3371 88 VALVES (GAS) - General Use-Certified to U.S. Standards**

**For Use with Natural, Manufactured, Mixed, Liquefied Petroleum Gases and LP Gas-Air Mixtures**

#### **Trade Name: COPRECI**

CAM 49010, Rated Pressure: 1/2psi, Inlet Sizes: Bolt-On, Saddle Mount, Barbed, 1/16 NPT(M), 1/8 NPT(M), 1/4 NPT(M), 3/8 NPT(M), 1/2 NPT(M), 3/4 NPT(M)

CAM 49017, Rated Pressure: 1/2psi, Inlet Sizes: Bolt Bolt-On, Saddle Mount, Barbed, 1/16 NPT(M), 1/8 NPT(M), 1/4 NPT(M), 3/8 NPT(M), 1/2 NPT(M), 3/4 NPT(M)

CAM 49020, Rated Pressure: 1/2psi, Inlet Sizes: Bolt-On, Saddle Mount, Barbed, 1/16 NPT(M), 1/8 NPT(M), 1/4 NPT(M), 3/8 NPT(M), 1/2 NPT(M), 3/4 NPT(M)

CAM 49040, Rated Pressure: 1/2psi, Inlet Sizes: Bolt-On, Saddle Mount, Barbed, 1/16 NPT(M), 1/8 NPT(M), 1/4 NPT(M), 3/8 NPT(M), 1/2 NPT(M), 3/4 NPT(M)

CAM 49050, Rated Pressure: 1/2psi, Inlet Sizes: Bolt-On, Saddle Mount, Barbed, 1/16 NPT(M), 1/8 NPT(M), 1/4 NPT(M), 3/8 NPT(M), 1/2 NPT(M), 3/4 NPT(M)

CAM 49070, Rated Pressure: 1/2psi, Inlet Sizes: Bolt-On, Saddle Mount, Barbed, 1/16 NPT(M), 1/8 NPT(M), 1/4 NPT(M), 3/8 NPT(M), 1/2 NPT(M), 3/4 NPT(M)

CAM 49080, Rated Pressure: 1/2psi, Inlet Sizes: Bolt-On, Saddle Mount, Barbed, 1/16 NPT(M), 1/8 NPT(M), 1/4 NPT(M), 3/8 NPT(M), 1/2 NPT(M), 3/4 NPT(M)

The (XXX) following the model number CAM 49 denote customer variations and does not affect the certified base model configurations.

#### **APPLICABLE REQUIREMENTS**

ANSI Z21.15-2009/CSA 9.1-2009 - Manually Operated Gas Valves for Appliances, Appliance Connector Valves and Hose End Valves.



**Certificate:** 1017730 (112340)

**Master Contract:** 189109

**Project:** 2401728

**Date Issued:** March 2, 2011

---

### **MARKINGS**

Markings shall be permanent and shall be cast or stamped on the body unless otherwise specified. All models shall indicate the following markings:

- The manufacturer's trade name, trademark or symbol
- Date-code
- ½ psi
- Certification Marking – “CSA Monogram with “C” and “US”.