



Certificate: 70142428

Project: 70142428

Master Contract: 189101

Date Issued: 2017-08-08

Outlet Sizes: 1/4 CC (7/16-24UNS-2A), 9/16-24UNF(M), 5/16-32UNF(F), 11/32-32UNS(F), 7/16-20UNF(M), M14x1.5(M), 11/32-32UNSØ12.5(F), 5/16-32UNFØ12.5(F), M12 x 1(F), 1/8-NPT(F), 1/8-27 NPSF

**3371-88 VALVES (GAS) - General Use-Certified to U.S. Standards
For Use with Natural, Manufactured, Mixed, Liquefied Petroleum Gases and LP Gas-Air Mixtures**

Trade Name: COPRECI

Model Number

CAM 21.9(0,2)0

Type: Straight

Inlet Sizes: Bolt-On Saddle-Mount, 10-32UNF-2B(F), 12-24 UNC(F), 1/4-20UNC-2B(F), 1/8-27 NPT(M)

Outlet Sizes: 1/4 CC (7/16-24UNS-2A), 9/16-24UNF(M), 5/16-32UNF(F), 11/32-32UNS(F), 7/16-20UNF(M), M14x1.5(M), 11/32-32UNSØ12.5(F), 5/16-32UNFØ12.5(F), M12 x 1(F), 1/8-NPT(F), 1/8-27 NPSF

CAM 21.9(0,2)1

Type: Angle

Inlet Sizes: Bolt-On Saddle-Mount, 10-32UNF-2B(F), 12-24 UNC(F), 1/4-20UNC-2B(F), 1/8-27 NPT(M)

Outlet Sizes: 1/4 CC (7/16-24UNS-2A), 9/16-24UNF(M), 5/16-32UNF(F), 11/32-32UNS(F), 7/16-20UNF(M), M14x1.5(M), 11/32-32UNSØ12.5(F), 5/16-32UNFØ12.5(F), M12 x 1(F), 1/8-NPT(F), 1/8-27 NPSF

APPLICABLE REQUIREMENTS

ANSI Z21.15-2009/CSA 9.1-2009, ANSI Z21.15a-2012/CSA 9.1a-2012, ANSI Z21.15b-2013/CSA 9.1b-2013 (Reaffirmed 2014) - Manually Operated Gas Valves for Appliances, Appliance Connector Valves and Hose End Valves



Supplement to Certificate of Compliance

Certificate: 70142428

Master Contract: 189101 (112328_0_000)

*The products listed, including the latest revision described below,
are eligible to be marked in accordance with the referenced Certificate.*

Product Certification History

Project	Date	Description
70142428	2017-08-08	Addition of valve adaptor (inlet) and spider bracket for cap. Supersedes Certificate 1877162.